



Lightning Controller Rail 3-pin. with FS 255V - Combined arrester for power systems MCF25-NAR-TNC+FS



OBO
MCF25-NAR-TNC+FS
5096953
4012196585595 EAN/GTIN

213,07 USD excl. VAT**
plus shipping



15-16 days* (USA)

Lightning Controller Rail 3-pin. m.FS 255V MCF25-NAR-TNC+FS Network type TN, network type TN-C, network type TN-CS, number of poles 3, lightning impulse current (10/350 µs) 8.5kA, maximum continuous voltage AC 255V, nominal voltage AC 230V, protection level 1, 5kV, Protection level LN 1.5kV, Protection level N-PE 1.5kV, Max. conductor cross-section rigid (single/stranded) 35mm², Max. Test class type 1 and 2, The MCF25-NAR combination arrester type 1+2 for lightning protection equipotential bonding according to VDE 0185-305 (IEC 62305) is suitable for use in the pre-counter area according to the VDEW guideline. The MCF25-NAR is used in buildings with lightning protection or overhead line feed in TN-C systems. It is installed on 40 mm busbars in the connection compartment on the mains side. The protection level of

YOUR ADVANTAGES



WORLDWIDE TRADE
Corporate video eibmarkt®



99% CUSTOMER SATISFACTION
> 500,000 customers worldwide



DHL TRACK & TRACE
Shipment tracking



COMPLAINTS HANDLING
Obliging and 100% safely



25 YEARS OF EXPERIENCE
In worldwide mail order



ORDER LIVE CHAT
With order history



SHORT DELIVERY TIME
Warehousing



REFUND
Within 14 days



DATA PROTECTION
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and **eibmarkt®** are registered trademarks of EIBMARKT® GmbH holding company (www.eibmarkt.de). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

*** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop
eibabo® electronics cheap online order
eibabo® electric appliances buy online

