

×

https://www.eibabo.us/berker/glass-sensor-2-fold-with-room-temperature-controller-ber-knx-touch-sens or-6-fold-75642134-eb16506546



Glass sensor 2-fold with room temperature controller Ber - KNX touch sensor 6-fold 75642134

Berker 75642134 4011334319344 EAN/GTIN

573,70 USD excl. VAT**

plus shipping



Glass sensor with room temperature. 75642134 KNX bus system, Other bus systems without, Flush mounting type, With theft/dismantling protection, With bus coupling, Number of actuation points 6, Number of buttons 0, With LED display, With display, Material glass, Material quality other, Surface other, Surface design glossy, color aluminium, RAL number (similar) 9006, with room thermostat, degree of protection (IP) IP20, min. depth of the device box 27mm, glass sensor 2-fold configured with temperature controller TS sensor, aluminium. Double glass sensor with labeling, with all-round chamfer, creation of individual labeling via Internet configuration software, without visible fastening elements, with four control surfaces, LED display with symbols for showing the operating mode, controller disable, room outside temperature, time (timer required), with 2 additional display sensor surfaces, with a blue operating LED, with four white status LEDs, flush-mounted installation, special program. Operating element for room-related and room-spanning control of functions. For individual individual room temperature control, actuation by touching the glass plate (capacitive detection), flat design and high switching reliability thanks to the conductor tracks being applied directly to the glass plate, for installation in a special installation. For vertical installation box, with Adapter ring for dismantling protection and shadow gap formation. For vertical installation, with removal tool, with integrated bus coupler, bus connection via connection terminal. The scope of the display menu for operation can be parameterised. For switch pushbutton dim blind room temperature controller functions, value transmitter for dimming position brightness and temperature values 1 and 2 bytes, one and two surface operation configurable, sensor surfaces can be blocked via object, controller operating modes: comfort standby night and frost/heat protection mode. For heating and/or cooling operation with/without additional stage, control paramete

YOUR ADVANTAGES



© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (<u>www.eibmarkt.de</u>). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

*** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

> eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online

