

Item Number EB10709767

×

https://www.eibabo.us/eaton/circuit-breaker-b-13a-1p-miniature-circuit-breaker-1-p-b13a-faz-b13-1-eb1 0709767



Circuit breaker B 13A, 1p - Miniature circuit breaker 1-p B13A FAZ-B13/1

Eaton FAZ-B13/1 278533 4015082785338 EAN/GTIN

14,37 USD excl. VAT**

plus shipping



Miniature circuit breaker 1-p B13A Release characteristic B, Number of poles (total) 1, Number of protected poles 1, Rated current 13A, Rated voltage 230V, Rated insulation voltage Ui 440V, Rated impulse withstand voltage Uimp 4kV, Rated short-circuit breaking capacity Icn EN 60898 at 230 V 10kA, Rated short-circuit breaking capacity Icn EN 60898 at 400 V 10kA, Rated short-circuit breaking capacity Icn EN 60898 at 400 V 10kA, Rated short-circuit breaking capacity Icn EN 60898 at 400 V 10kA, Rated short-circuit breaking capacity Icn EN 60898 at 400 V 10kA, Rated short-circuit breaking capacity Icn EN 60947-2 at 230 V 15kA, Rated short-circuit breaking capacity Icn EN 60998 at 400 V 10kA, Rated short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60998 at 400 V 10kA, Rated short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 60997. The second state short-circuit breaking capacity Icn EN 609977. The second state short-circuit bre

YOUR ADVANTAGES



© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (<u>www.eibmarkt.de</u>). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

*** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

> eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online

