



## Main switch 3-pole 25A 9.5kW/400V - Safety switch 3-p 9,5kW 3LD2113-0TK51



**Siemens**  
 3LD2113-0TK51  
 4011209403000 EAN/GTIN

**45,03 USD** excl. VAT\*\*  
 plus shipping



15-16 days\* (USA)

Main switch 3p.25A 9.5kW/400V 3LD2113-0TK51 version as main switch, version as maintenance/repair switch, version as safety switch, number of switches 1, max. rated operational voltage Ue at AC 690V, rated uninterrupted current Iu 25A, rated uninterrupted current at AC-23, 400 V 20A, rated continuous current at AC-21, 400 V 25A, rated operational power at AC-3, 400 V 7.5kW, rated short-time withstand current Icw 0.64kA, rated operational power at AC-23, 400 V 9.5kW, number of poles 3, number of auxiliary contacts as NC contact 0, number of auxiliary contacts as changeover contact 0, device type built-in device, fixed installation, suitable for 4-hole front attachment, suitable for distributor installation, suitable for intermediate installation, color of the actuating element black, design of the actuating element short turning handle, lockable, Type of connection main circuit box terminal, degree of protection (IP), IP65 on the front, degree of protection (NEMA) other, SENTRON, switch disconnecter 3LD, main switch, 3-pole, Iu: 25 A, operating power / at AC-23 A at 400V: 9.5 kW, floor mounting with door coupling, rotary drive, black, 4-hole attachment of the handle The main and emergency OFF switch 3LD as a repair switch for safe disconnection of loads in a wide variety of environments. The possible uses of the 3LD line disconnecter are diverse. After disconnection from the mains, they ensure that all electrical equipment is safely isolated, switching, for example, three-phase motors, but also air conditioning and ventilation systems. 3LD have proven themselves in many areas, especially in machining and processing machines in machine and conveyor system construction, in the chemical or in the food and beverage industry. The main features of the Siemens 3LD main and emergency stop switches are: 1. Modular design, quick and easy installation of auxiliary switches, N-PE terminal or 4th pole. 2. Versatile and can be used worldwide thanks to international IEC UL and shipbuilding approvals. 3. Degree of protection up to IP 65 with encapsulated housing for outdoor applications. 4. Can be used for direct current applications. 5. Types of mounting: front mounting, mounting plate, DIN rail. 6. Optimum mains separation from 16 A to 250 A thanks to the lockable rotary drive. For the safe, efficient electrical infrastructure in buildings and industry, Siemens offers an integrated portfolio of protective switching, measuring and monitoring devices, distribution systems, switches and socket outlets.

### YOUR ADVANTAGES



**WORLDWIDE TRADE**  
 Corporate video eibmarkt®



**99% CUSTOMER SATISFACTION**  
 > 500,000 customers worldwide



**DHL TRACK & TRACE**  
 Shipment tracking



**COMPLAINTS HANDLING**  
 Obliging and 100% safely



**25 YEARS OF EXPERIENCE**  
 In worldwide mail order



**ORDER LIVE CHAT**  
 With order history



**SHORT DELIVERY TIME**  
 Warehousing



**REFUND**  
 Within 14 days



**DATA PROTECTION**  
 Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company ([www.eibmarkt.de](http://www.eibmarkt.de)). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

\* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

\*\* Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

\*\*\* Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop  
 eibabo® electronics cheap online order  
 eibabo® electric appliances buy online

